

<b>Data Sheet: ECO 25 – BROWN PACKAGING PAPER</b>
---

<i>Test</i>	<i>Average Value</i>	<i>Units</i>	<i>Acceptable Min / Max</i>	<i>Test Method</i>
Thickness: Total	110	μ	90 – 130	PSTC 33
Backing	90		70 – 110	
Weight: Total	100	G/m <sup>2</sup>	94 – 106	ISO 536
Backing	70		66-74	
Adhesive	30		28 – 132	
Adhesion to: Steel	4,25	N/25mm	2,5 – 6	PSTC 1
Backing	1.75		0,75 – 2,75	
Shear Adhesion (50° 1kg)Met	-	Min	>15	ICQ 10203
Tensile Strength MD	140	N/25mm	>112.5	PSTC 31
Elongation to break %	6	%	>4	PSTC 31
RBT	1	Cm	0-3	PSTC 6