

# Tork Industrial Heavy-Duty Wiping Paper

Colour: Blue Format: Folded



## benefit

- Extra strong/absorbent due to QuickDry
- Removes oil effectively
- Strong when wet
- Protect hands from heat/metal
- Food contact approved
- •Tork Easy Handling™; packaging easy to carry and easy to flatten





# product properties

| article | system                | Ply | Print | Colour |
|---------|-----------------------|-----|-------|--------|
| 130083  | W7 - Handy box system | 3   | no    | Blue   |

#### description

Our strongest paper has superior absorption and protects hands from heat and dirt. Thanks to the QuickDry quality, it is stronger, gets the job done quicker and is more absorbent than ordinary paper.

# shipping data

## consumer unit

| EAN          | 7322540183849 |  |
|--------------|---------------|--|
| pieces       | 200           |  |
| material     | Plastic       |  |
| height       | 238 mm        |  |
| width        | 236 mm        |  |
| length       | 395 mm        |  |
| volume       | 22.2 dm3      |  |
| net weight   | 1497 g        |  |
| gross weight | 2022 g        |  |

## transport unit

| EAN            | 7322540183849 |  |
|----------------|---------------|--|
| pieces         | 200           |  |
| consumer units | 1             |  |
| material       | Carton        |  |
| height         | 238 mm        |  |
| width          | 236 mm        |  |
| length         | 395 mm        |  |
| volume         | 22.2 dm3      |  |
| net weight     | 1.50 kg       |  |
| gross weight   | 2.02 kg       |  |

## pallet

| EAN            | 7322540275285 |
|----------------|---------------|
| pieces         | 12000         |
| consumer units | 60            |
| height         | 1358 mm       |
| width          | 1000 mm       |
| length         | 1200 mm       |
| volume         | 1.3 m3        |
| net weight     | 89.81 kg      |
| gross weight   | 121.32 kg     |

## environmental

#### Content

The fibre composition in the product is virgin fibres

#### **Material**

#### Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

#### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating
Defoamer
Dispersing agents and surfactants
pH and charge control
Retention aids
Broke treatment chemicals
Drainage aid

#### **Food Contact**

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by ISEGA. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

#### **Packaging**

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Fulfilment of essential requirements: Yes

Concentration of heavy metals: the sum of Cd, Pb, Hg, Cr6 <: 100 ppm

Environmental label = Ecolabel
This product does not have an ecolabel

Date of issue 2006-06-12 Revision date 2011-09-02 2011-04-11

#### **Production**

This product is produced at Suameer mill, NL Suameer mill is certified according to ISO 14001 and EMAS.

#### Disposal / destruction of used product

This product is mainly used for industrial processes and might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destructed. The product itself is suitable for

incineration. Contact local authorities before destruction.

This document was created with Win2PDF available at <a href="http://www.win2pdf.com">http://www.win2pdf.com</a>. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.